

Victoria Forklift Training Course

Victoria Forklift Training Course - OSHA and CSA establish criteria for forklift safety training which meets current standards and regulations. Anybody planning to utilize a forklift is needed to successfully finish safety training before using whatever type of forklift. The accredited Forklift Operator Training Program is meant to provide individuals training with the practical skills and information to become a forklift operator.

There are forklift operation safety regulations which must be followed pertaining to pre-shift checks, and rules for loading and lifting.

An inspection checklist should be done and given to the supervising authority before starting a shift. When a maintenance issue is uncovered, the use of the specific machine should be stopped until the issue has been addressed. To be able to indicate the machinery is out of order, the keys should be removed from the ignition and a warning tag placed in a visible location.

Loading safety rules include checking the rating capacity on the forklift nameplate and knowing if the load weight falls within capacity. The forklift forks should be in the down position when the forklift is starting up. Keep in mind that there is a loss of roughly one hundred pounds carrying capacity for every inch further away from the carriage that the load is carried.

In order to safely lift a palletized load, drive the forklift toward the pallet and halt with the fork three inches from the load. Level the mast until it is at right angles to the load. Lift the forks to an inch below the slot on the pallet and drive forward. Then lift forks four inches. Tilt back the load to be able to secure it for moving. Drive the lift backwards if the load obscures frontal vision. Check behind and honk to alert other personnel. Do not allow forks to drag on the ground.

The load should be loaded by the forklift in such a way that ensures the load is secure and will not create a danger to other people or objects. Restraining loads is necessary for materials which can shift during transport and destabilize the forklift.

To avoid the movement of drums, drums can be strapped together to decrease movement. Forklift operators must drive slowly when transporting liquids, to decrease instability in the forklift.